

DOCUMENT RESUME

ED 270 084

IR 012 097

AUTHOR Barkley, John; Rosenthal, Lynne S.
 TITLE Issues in the Management of Microcomputer Systems.
 Reports on Computer Science and Technology.
 INSTITUTION National Bureau of Standards (DOC), Washington, D.C.
 Inst. for Computer Sciences and Technology.
 REPORT NO NBS-SP-500-125
 PUB DATE Sep 85
 NOTE 58p.; For related documents, see IR 012 096-098.
 AVAILABLE FROM Superintendent of Documents, U.S. Government Printing
 Office, Washington, DC 20402.
 PUB TYPE Guides - General (050)

EDRS PRICE MF01/PC03 Plus Postage.
 DESCRIPTORS Administrators; Computer Literacy; Computer Software;
 Information Dissemination; Information Storage;
 *Information Systems; Information Utilization;
 *Management Systems; *Microcomputers; Policy
 Formation; Services; Technological Advancement;
 *Users (Information)
 IDENTIFIERS *Information Management

ABSTRACT

Designed to provide individuals responsible for the management of information resources with an understanding of the activities that lead to effective information management, this document identifies issues related to the management of microcomputer systems and analyzes some of the options available for the effective integration of small systems into an organization's overall data processing usage. The document is divided into eight chapters. Background information is provided in the first chapter, while Chapter 2 discusses the information management problems caused by the ability to access and manipulate new and existing information on the microcomputer. Chapter 3 classifies microcomputer users into three broad categories--ADP (automatic data processing) professionals, end users who program and implement applications software, and end users who operate applications software--and discusses the functions that these users will need to perform in an organization. Chapter 4 describes the services and activities that can provide support to an organization and discusses microcomputer system procurement and justification procedures. Standards and technological management alternatives are addressed in Chapter 5, together with problems created by rapidly changing microcomputer technology and the ways an organization can respond. Organizational factors that affect the use of microcomputers are presented in Chapter 6, and Chapter 7 provides an outline of the elements that can constitute a microcomputer management policy. Chapter 8 contains references to several other publications that address microcomputer management issues. (JB)

 * Reproductions supplied by EDRS are the best that can be made *
 * from the original document. *

Computer Science and Technology

U.S. DEPARTMENT OF EDUCATION
OERI
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)


NBS Special Publication 500-125

This document has been reproduced as
received from the person or organization
originating it.
Minor changes have been made to improve
reproduction quality.

Issues in the Management of Microcomputer Systems

• Points of view or opinions stated in this docu-
ment do not necessarily represent official
position or policy.

John Barkley and Lynne S. Rosenthal



ED270084

IR012097

T

he National Bureau of Standards¹ was established by an act of Congress on March 3, 1901. The Bureau's overall goal is to strengthen and advance the nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau's technical work is performed by the National Measurement Laboratory, the National Engineering Laboratory, the Institute for Computer Sciences and Technology, and the Institute for Materials Science and Engineering.

The National Measurement Laboratory

Provides the national system of physical and chemical measurement; coordinates the system with measurement systems of other nations and furnishes essential services leading to accurate and uniform physical and chemical measurement throughout the Nation's scientific community, industry, and commerce; provides advisory and research services to other Government agencies; conducts physical and chemical research; develops, produces, and distributes Standard Reference Materials; and provides calibration services. The Laboratory consists of the following centers:

- Basic Standards²
- Radiation Research
- Chemical Physics
- Analytical Chemistry

The National Engineering Laboratory

Provides technology and technical services to the public and private sectors to address national needs and to solve national problems; conducts research in engineering and applied science in support of these efforts; builds and maintains competence in the necessary disciplines required to carry out this research and technical service; develops engineering data and measurement capabilities; provides engineering measurement traceability services; develops test methods and proposes engineering standards and code changes; develops and proposes new engineering practices; and develops and improves mechanisms to transfer results of its research to the ultimate user. The Laboratory consists of the following centers:

- Applied Mathematics
- Electronics and Electrical Engineering²
- Manufacturing Engineering
- Building Technology
- Fire Research
- Chemical Engineering²

The Institute for Computer Sciences and Technology

Conducts research and provides scientific and technical services to aid Federal agencies in the selection, acquisition, application, and use of computer technology to improve effectiveness and economy in Government operations in accordance with Public Law 89-306 (40 U.S.C. 759), relevant Executive Orders, and other directives; carries out this mission by managing the Federal Information Processing Standards Program, developing Federal ADP standards guidelines, and managing Federal participation in ADP voluntary standardization activities; provides scientific and technological advisory services and assistance to Federal agencies; and provides the technical foundation for computer-related policies of the Federal Government. The Institute consists of the following centers:

- Programming Science and Technology
- Computer Systems Engineering

The Institute for Materials Science and Engineering

Conducts research and provides measurements, data, standards, reference materials, quantitative understanding and other technical information fundamental to the processing, structure, properties and performance of materials, addresses the scientific basis for new advanced materials technologies, plans research around cross-country scientific themes such as nondestructive evaluation and phase diagram development; oversees Bureau-wide technical programs in nuclear reactor radiation research and nondestructive evaluation, and broadly disseminates generic technical information resulting from its programs. The Institute consists of the following Divisions:

- Inorganic Materials
- Fracture and Deformation³
- Polymers
- Metallurgy
- Reactor Radiation

BEST COPY AVAILABLE

¹Headquarters and Laboratories at Gaithersburg, MD, unless otherwise noted, mailing address Gaithersburg, MD 20899

²Some divisions within the center are located at Boulder, CO 80303
³Located at Boulder, CO, with some elements at Gaithersburg, MD

Computer Science and Technology

NBS Special Publication 500-125

Issues in the Management of Microcomputer Systems

John Barkley
Lynne S. Rosenthal

Institute for Computer Sciences and Technology
National Bureau of Standards
Gaithersburg, MD 20899



U.S. DEPARTMENT OF COMMERCE
Malcolm Baldrige, Secretary

National Bureau of Standards
Ernest Ambler, Director

Issued September 1985

Reports on Computer Science and Technology

The National Bureau of Standards has a special responsibility within the Federal Government for computer science and technology activities. The programs of the NBS Institute for Computer Sciences and Technology are designed to provide ADP standards, guidelines, and technical advisory services to improve the effectiveness of computer utilization in the Federal sector, and to perform appropriate research and development efforts as foundation for such activities and programs. This publication series will report these NBS efforts to the Federal computer community as well as to interested specialists in the academic and private sectors. Those wishing to receive notices of publications in this series should complete and return the form at the end of this publication.

Library of Congress Catalog Card Number: 85-600588

National Bureau of Standards Special Publication 500-125
Natl. Bur. Stand. (U.S.), Spec. Publ. 500-125, 54 pages (Sept. 1985)
CODEN: XNBSAV

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON 1985

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402

Contents

Executive Summary	1
1 Introduction	3
1.1 Overview	3
1.2 Document Structure	4
2 Information Issues	6
2.1 Naming and Organization	7
2.2 Sharing	8
2.3 Collection	8
2.4 Security	9
2.4.1 Confidentiality	9
2.4.2 Integrity	11
2.4.3 Availability	12
3 User Issues	13
3.1 Basic User Skills	14
3.2 Classification of Users	16
3.3 Application Development	16
3.3.1 Changing Nature of Development Activity	18
3.3.2 Potential Problems	19
4 Management/Support Groups	21
4.1 Organizational Structure	21
4.2 Management/Support Services	22
4.2.1 For the Information	23
4.2.2 For the Users	24
4.2.3 For the Technology	24
4.3 Acquisition	25
4.3.1 Procurement Roles and Responsibilities	26
4.3.2 Justification	26

5	Technology Issues	29
5.1	In-house Standards	29
5.1.1	Advantages of In-house Standards	31
5.1.2	Disadvantages of In-house Standards	33
5.2	Managing Technological Change	34
5.2.1	Phasing in Systems Over Time	36
5.2.2	Acquiring <i>Leading Edge</i> Technology	36
5.2.3	Acquiring Systems from Several Producers	36
5.2.4	Combining Approaches	37
6	Microcomputers and Organizations	38
6.1	Nature of Microcomputer Usage	39
6.2	Nature of an Organizational Mission	39
6.3	ADP and End User Experience	40
6.4	Long Term Impact on the Organization	41
7	SUMMARY:Developing a Policy	42
7.1	Elements for Consideration	42
7.2	Policy Topics	45
8	REFERENCES AND RELATED READING	47

EXECUTIVE SUMMARY

End user computing encompasses a broad range of technologies, all of which enable an individual to directly control his information processing needs. It consists of office automation, personal computers, mini and mainframe computers, and supporting technologies which provide the potential for improving information management within the Federal Government. This report focuses on just one aspect of end user computing, the microcomputer.

The growth in the use of microcomputers challenges managers to organize and support microcomputer-based information resources so that the microcomputer technology can become an effective part of the organization's total information resources. This document provides those individuals responsible for the management of information resources with an understanding of the issues and activities that lead to effective information management. It identifies issues related to the management of microcomputer systems and analyzes some of the options available for the effective integration of small systems into an organization's overall ADP usage. Included in the discussion are overall organizational characteristics, information issues, user issues, and technology issues.

Organizations have the opportunity to take advantage of the benefits which can be gained by the use of microcomputer technology. However, the realization of these benefits requires that the organization carefully consider the nature and extent of microcomputer usage, the organization's missions, end-user experience, and overall ADP experience within the organization. It is important to understand the impact these factors will have on the organizational strategy for using microcomputers to improve information management.

Related to the organization's use of information, there are several issues to be addressed. The use of data naming and data organization conventions enables information to be known and shared among departments. As new data is entered into microcomputers, the validation of this data should be performed before it is integrated into the organization's databases. Of particular concern should be those problems associated with information and microcomputer system security.

The time when all computer users were ADP professionals is long past. End users with no previous computer experience as well as ADP professionals are using microcomputers to perform their jobs more effectively. Regardless of the microcomputer users' background, they need basic skills in order to operate the microcomputer system and maintain the information contained on it. To provide these skills, support services are necessary. The services can promote information management, user efficiency, and/or effective management of the technology. Every office within the organization should have at least one individual providing local support with more formal and extensive support provided at a higher, centralized organizational level. The integration of the support services into existing organizational structures can benefit from the experience of existing ADP and microcomputer experts.

Microcomputer technology is only a means by which users gain access to and make more effective use of information. Technology issues include acquisition management and

in-house standards. Acquisition management helps insure that a microcomputer system will meet an information or user need and be representative of current technology. In-house standards promote compatibility between systems, thus enhancing resource sharing and lowering the cost of support. It often consists of a list of organizationally supported hardware and software or a set of minimum requirements that a microcomputer system must meet. In-house standards should be carefully selected based on application and support needs. When possible, such standards should be consistent with standards developed by recognized standards organizations and with defacto standards set in the marketplace. In-house standards should be continually scrutinized so that equipment is not locked-in and made obsolete by rapidly changing technology, thus becoming unable to meet current and future application requirements.

The availability, quality, and variety of off-the-self software packages has minimized the need for in-house application development. Since these application packages can be purchased and installed rapidly, return on investment can be realized more quickly than with custom program development. However, many application packages contain features that will allow the end user to customize or program within the package. As the number of end users, developers, and systems affected by this type of programming increases, the required level of formal software development documentation also increases.

The rapid pace of technology, continually making new capabilities possible, leads to a changing perception of application requirements. For example, before technology made microcomputers economically feasible, there was never a requirement for a professional to have his own computer. These changes are a natural result of new alternatives made possible by advances in technology. In examining the changes, it is important to make the distinction between what is technically possible and what is valuable in the context of existing organizations.

To use and manage microcomputers effectively, organizations should develop a plan addressing the information, user, and technology aspects of its microcomputer usage. Such a plan should delineate the objectives to be achieved, the management/support services needed, the roles and responsibilities of those implementing the plan, and any in-house microcomputer standards. The purpose of these plans is not to obstruct the use of microcomputer systems, but rather to maximize the benefits to be derived from their usage.

Information about other NBS/ICST microcomputer related publications and activities can be obtained from the authors at:

National Bureau of Standards
Institute for Computer Sciences and Technology
B266 Technology
Gaithersburg MD 20899
(301) 921-3485

or electronically from the NBS/ICST information service on microcomputers at
(301) 948 5718.

Chapter 1

Introduction

The influx of microcomputers into the organization has changed the way information is processed and handled. The microcomputer has become a tool that enables end-users to have more control over their information processing needs. This end-user computing technology is evolving at great speed. The availability of these systems, their cost, their adaptability to various applications, and their compact size (small enough to fit on a desk) have helped to promote this use.

As the use of microcomputers within an organization continues to grow, that organization is faced with the question of how to manage this new technology efficiently and effectively. Several organizations have already developed policies pertaining to the microcomputer technology, whereas others are just beginning to explore and develop such policies and directions.

This document provides individuals who are faced with the task of managing information resources with an understanding of the issues and activities that lead to effective information management. It addresses the need for establishing a management policy, presents various considerations and problems associated with the management of microcomputers, and discusses the development and implementation of a management strategy.

1.1 Overview

Traditionally, the use and management of computers within an organization was the responsibility of the centralized ADP department. These computers are extremely expensive and require qualified ADP professionals to operate and program them. With low cost microcomputers and easy-to-use application software, the role of computing within the organization is changing. The microcomputer creates a new class of computer users (typically, unskilled in computer technology) and provides them with a means of automating functions that were not previously automated, and thus, the ability to solve problems and make decisions more rapidly. The great speed at which this end-user technology is being incorporated into the organization and the nature of its acquisition and use has created a management problem. The microcomputer has decentralized the organization's computing

resources and has made it necessary to reexamine the management of information systems and their technology.

A managed approach to the organization's microcomputing activities can help to achieve the following:

- coordination of microcomputer resources
- the benefits commensurate with the investment of equipment, software, and training
- the compatibility of the microcomputer equipment and its use with existing systems
- the accuracy of data and compatibility with existing systems and practices
- the security of the microcomputer and the information associated with it
- the smooth transition from the current environment to an end-user environment, e.g., implement training structures
- consideration of the consequences of implementing microcomputer systems e.g., the effect on human and organizational characteristics

The policy can focus on the management of various resources associated with end-user computing, specifically with microcomputing; and can manage those resources at various levels with a variety of incentives and controls. A common organizational reaction is to restrict or prohibit the use of facilities which are not well understood. However, attention should be given to the consequences of implementing overly restrictive policies. A restrictive policy can result in the inability of both the organization and the user to adapt to the rapidly changing technology and the inability to take advantage of new applications and uses.

1.2 Document Structure

This document includes eight chapters that describe the issues associated with the management of microcomputers, the tradeoffs, and alternative directions. Since organizations have different goals and resources, there are few statements about the management and support of microcomputers which apply to all organizations. Each organization must weigh the alternatives according to its unique needs and resources. This document presents background, issues, and alternatives which can help an organization in its management and support of microcomputers.

Background information is provided in chapter 1, followed by management issues in chapters 2, 3, and 4. Chapter 2 discusses the information management problems caused by the ability to access and manipulate new and existing information on the microcomputer. Chapter 3 describes microcomputer users and the functions that these users will

need to perform. And, chapter 4 is concerned with the support and acquisition of microcomputers. It describes the support structures and activities that can be provided and discusses procurement and justification procedures.

Standards and technological management alternatives are addressed in Chapter 5. The chapter presents a general discussion of the problems created by the rapidly changing microcomputer technology and the ways the organization can deal with these problems.

Organizational factors which affect the use of microcomputers are presented in chapter 6. The chapter addresses the development of a management style that reflects the existing organizational structures and the nature of the microcomputer usage.

A general summary of this document is provided in chapter 7. An outline of the elements that can constitute a microcomputer management policy is presented. Chapter 8 contains references to several other publications which address microcomputer management issues.

Chapter 2

Information Issues

As microcomputers are introduced into an organization, data administration methodologies are challenged by two problems: the broader distribution of existing information and the introduction of new information.

The use of microcomputers in an organization tends to distribute data which was once located primarily on mainframes. Departments and individuals within many organizations use the rapid-response, human-engineered, software of microcomputers to manipulate existing data in order to gain new insights into the information. In most cases, this is advantageous to an organization, since it enables the operating units to perform their functions more effectively. Because microcomputers have the ability to easily acquire and store existing information, because there is a demand within departments for access to an organization's information, and because of the availability of microcomputers, many copies, in many forms, of vital data can be generated. This rapid dispersion and manipulation of information made possible by microcomputers can compromise information security and accuracy.

The other challenge to data administration is the generation of new data by those using microcomputers. As information is proliferated and analyzed using the highly interactive techniques of microcomputer software, the conclusions formed by this analysis becomes new information which is often organized and stored electronically. Moreover, the departments of an organization have the opportunity by means of microcomputers, to collect information to be used exclusively within the department, to be distributed throughout the organization, or to be disseminated externally.

As with the generation of information from the analysis of existing data, the collection of new data can enable an operating unit to do its job better. However, the creation of new information can lead to redundant efforts on the part of the departments. In addition, the department which created or collected the information may be unaware of security implications.

Several of the information management issues which arise from the use of microcomputers are discussed below.

2.1 Naming and Organization

All large organizations have experience with information management. The basic principles of information management are the same regardless of the means by which the information is collected or the media on which the information is stored. Fundamental to data administration is the use of data naming and data organization conventions.

Data naming and organization conventions may be promulgated by automated and/or manual methods. In a mainframe environment, data naming and organization conventions can be supported by means of the data dictionary and the data file structures of the database management system. New information conforms to these conventions in order to take advantage of the capabilities of the database management system on the mainframe. However, microcomputers typically do not have easy access to the data dictionaries on mainframes. Moreover, the database management methods used on microcomputers are usually different from those on a mainframe. Even in those cases where the data dictionaries on the mainframe are available to the microcomputer, the microcomputer most often operates in a mode which does not permit immediate access to the mainframe. Thus, the automated support for maintaining data naming and organization conventions may not be easily available to the microcomputer.

The problems of consistent data naming and organization are exacerbated when the database management system on the mainframe has a file organization fundamentally different from those database management systems used on the microcomputer system. The most prevalent type of database management system on microcomputers are those that use the relational data model. Many mainframe database management systems do not support the relational data model, but rather support file structures of hierarchical, network, or inverted organization.

There are two common solutions to this problem. The first solution is to create files on the mainframe and/or the microcomputer which are subsets of the full database and which have the same file organization. This permits users to see the same data organization regardless of the system they are accessing. The second solution is to translate the file organization into a standard sequential form on one system, transmit the sequential form to another system, and then translate the sequential form to the file organization of the other system.

These solutions require increased storage capacity for the intermediate files, and increased processing capacity in order to create and transmit the intermediate files. The mainframe's storage and processing capacity is often the most affected.

Organizations without data naming and structuring conventions have special problems. Some departments may have data naming conventions that are different from those conventions used by other departments and/or a central data administration group. When microcomputers are brought into such an environment, it may be preferable for departments to maintain their existing conventions and when exchanging information, perform the required translations as they are accustomed. On the other hand, the introduction of microcomputers may facilitate the adoption of organization-wide data naming and orga-

nization conventions because of the extra measure of automation that results from using microcomputers. Each organization must decide this based on its own circumstances.

2.2 Sharing

Planning for the distribution of this information can be as important as planning for the generation of the information. It can often happen that one group will spend resources producing data which another group already has. In order to prevent this from happening, it is necessary to insure that all within an organization are aware of what information is produced and that all have access to the information they need. The use of data naming and organization conventions, supported by automated methods such as data dictionaries, and the dissemination of these conventions, can keep all informed of the existence of data. Users need to have easy access to the information.

This access is normally provided either by communication links or by media exchange, e.g., by physically transporting a magnetic medium such as a floppy diskette. Data interchange between microcomputer and mainframes is usually by communication links, while data interchange between microcomputers is often by either method.

The regular exchange of data, by whatever means, can be said to form a communications channel between two systems. The aggregate of these communications channels and the connected systems form a network. The topology of the network and magnitude of the information flows through the network will not remain constant for long periods of time. An organization should implement data exchange procedures among its groups in such a way as to allow for orderly change in the patterns of communications within the organization.

2.3 Collection

The departments of an organization can use microcomputers to collect information solely for the department's use or information for other groups in the organization. In most cases, the information collected should conform to the organization's data naming and data organization conventions.

A common data collection implementation is use of the microcomputer as a stand-alone data entry system. Data validation can be performed on both the microcomputer and/or the mainframe. As the data elements of a new record are entered into the microcomputer, validation criteria based on the relationship of new data elements to each other can easily be verified on the microcomputer. Validation criteria based on the relationships of new data elements to data elements already a part of central databases can also be verified on the microcomputer. This may be accomplished in two ways. The microcomputer may immediately and automatically access a central database to obtain the data necessary for validation in the same manner that an interactive terminal would. This approach requires a fast communications link and sophisticated software. Where these are not available, data

from the central databases needed for validation of new transactions can be downloaded to the microcomputer.

Very often, only partial validation of new transactions can take place on the microcomputer as the transactions are being entered. The common approach when using a microcomputer for data entry is as follows: An operator keys data into the microcomputer during the day, and at the end of the day, the data collected is transmitted to the mainframe for processing, final validation, and archival storage. On the following morning, data which will be used to partially validate the transactions entered during the day, is downloaded to the microcomputer from the mainframe.

When using this type of data collection method, care should be taken to insure that transaction validation is timely, and that the bandwidth of the upload and download operations is large enough so that these operations do not interfere with the transaction entry process. Failure to perform a data transmission on any given day because of unforeseen circumstances, should not cause the validation process on the microcomputer to fail.

A special case of microcomputer-based information collection is the collection of scientific or engineering data. Microcomputers are often an integral part of scientific instrumentation, which automatically accumulates data obtained from observing physical phenomena. Such scientific instrumentation can generate large volumes of data in a short period of time. Moreover, these data are usually represented in binary floating point formats. The floating point format on the microcomputer may be different from the floating point format of the mainframe. The communication procedure between the microcomputer and the mainframe may not support the transmission of binary data. Additionally, floating point formats may not be supported by the database management system. Both the volume of data and the processing which may be required to convert number representations, can place tremendous demands on the microcomputer, the mainframe, the communications procedures, and the database management systems.

2.4 Security

The concept of information security refers to the security of not only the data, but also to the hardware and software which generate and process the data. An application is the collection of the data associated with the application, and the hardware and software procedures which operate on the data. Thus, it is possible to speak of information security in terms of an application's security. There are three aspects to information security: confidentiality, integrity, and availability.

2.4.1 Confidentiality

This concept refers to the protection of information from unauthorized disclosure. Distributing programs and data throughout an organization by implementing applications on microcomputers increases the chance that information confidentiality could be compromised.

The situation is considerably different in the mainframe environment. Mainframes usually have software which limits access to data and programs, and audits all accesses made. Mainframes are usually made secure by limiting physical access to the hardware and the storage media, and by the presence of an operations staff. The storage media used by mainframes, such as tape reels and disk packs, are bulky and not easily concealed.

Microcomputers usually do not have hardware or software which limits access to data and programs. While a microcomputer system can be kept in a locked room or fastened to a non-portable object, a microcomputer is small and is usually left unattended during non-business hours. Also floppy diskettes are very portable and easily concealed.

The following methods can be used to protect confidential information:

- **File Protection**

Protecting the information on the floppy diskette then becomes a matter of protecting the diskettes themselves. Providing protection for floppy diskettes is very similar to protecting paper files.

Protecting information on those microcomputers which have hard discs is more complicated. While microcomputers are often single user systems, it is not uncommon for the same microcomputer system to be used by several different people at different times. When using microcomputer with only floppy disks, individuals can bring their programs and data on floppy diskettes to the system, and when finished, the floppy diskettes can be removed. While it is possible to do this with hard disk based microcomputers, it is more efficient to leave programs and data on the hard disk. However, hard disk based microcomputer may not have file protection mechanisms for the hard disc.

- **Login**

Some single user and most multi-user microcomputer systems support a user login procedure, similar to those on a mainframe. Those that do support user login, most often support file protection schemes.

- **Call Back**

Most microcomputer systems, even single user systems, can support remote interactive access through a telephone connection. Many organizations support microcomputer bulletin board or videotex systems which can be accessed remotely.

A *call back* procedure is a login procedure which attempts to verify the identity of the user seeking access. The procedure goes as follows. The user establishes a communications link to the system, and identifies himself. The system verifies the user's identity by breaking the communications link and establishing a new communications link to the location where the system knows the user should be.

- **Encryption**

The protection provided by hardware/software mechanisms, like those described above, may be defeated if physical access to the system is permitted. On a mainframe, the modification of system hardware and software is difficult because the architectures of mainframes are complex and very often unique to a specific producer. Modifications to mainframe hardware or software can only be accomplished by a highly trained individual.

Microcomputer systems have much simpler architectures, commonly consisting of several standard components. Many microcomputer users know how to change a board or install system software. Thus, microcomputers can present an easy target for anyone to defeat protection mechanisms such as those described above.

Encryption of the information on a floppy or hard disk is a means of protecting the confidentiality of information on a microcomputer without having to provide physical access protection for the system. There are several commercial products which permit data to be encrypted for storage and/or for communications.

2.4.2 Integrity

Information integrity results when the improper modification or destruction of information is prevented i.e., data quality is maintained. To protect information from destruction, archiving procedures are almost always used on mainframes and are usually performed automatically by the operations staff. The user need not request the service and may not even be aware that archiving is performed on a regular basis. With microcomputers, since the user is normally the operations staff and software for archiving is limited, the user must be responsible for the archiving of information residing on the microcomputer.

Archiving procedures prevent data from being destroyed. Techniques, similar to those used to insure confidentiality, can be applied to protecting the integrity of information from improper modification, regardless of whether the information resides on the mainframe or on the microcomputer.

Additional techniques, used to maintain data quality on the mainframe, include the batching of input transactions, and the creation of read-only files which contain subsets of databases. The read-only database subsets are called *views* of a database. These views are transmitted upon demand to microcomputers which need access. As new data is generated on remote systems, it is transmitted to the mainframe, where it is batched into temporary files. The transactions remain in these temporary files until the new data is fully validated and can be used to update the organization's database. Since the view is a read-only file, and incoming data is validated before the database is updated, the integrity of the database can be protected from unauthorized or accidental modification. The disadvantage of using views is that, at any given time, the view may not represent of current state of a database.

Views of databases can help maintain the integrity of databases on the mainframe. However, the integrity of the information on the microcomputer, consisting of new data

and data downloaded from the mainframe is likely to be more susceptible to improper modification. Bad data on the microcomputer can lead to input transactions being lost because they fail validation on the microcomputer and/or the mainframe, and to false conclusions when used as input to analysis.

2.4.2 Availability

A key dimension of information security is assuring information availability to authorized individuals and applications. Application availability requires that an application's data be accurate, the programs be the current versions, and the hardware be properly configured to run the programs. Application availability implies that not only should data, software, and hardware be in place and properly configured, but also be accessible. Very often, planning for security concentrates so much on preventing improper access that proper access is frustrated and in some cases, incorrectly denied.

Chapter 3

User Issues

Organizations are entering an age in which every member of the organization may become a computer user. This trend started as mainframes and minicomputers began to be accessed interactively. But, because mainframes are so costly, interactive access has been available to only a limited number of users. On the other hand, microcomputers have greatly expanded both the quality and quantity of interactive computer usage. The low cost of the microcomputer system and the high quality of a microcomputer's interactive software, has attracted many new users who were never able to use computers before, either because of the mainframe's limited capacity or its difficulty of use. Organizations, through their use of microcomputers, face an influx of new computer users.

Computer literacy has increased greatly during the last few years. However, for many in an organization, the poorly planned introduction of microcomputers into the working environment can cause both acute and chronic *future shock*. An organization should take advantage of the interest in microcomputers by some users, but should take care with those who may feel threatened.

Although some users may be slow in embracing microcomputer technology, an organization should find that their users quickly learn the new capabilities. In fact, the organization should find that most users rapidly become sophisticated in their use of microcomputers. This increasing sophistication typically leads to greater expectations. Greater expectations may increase the demand for applications to be implemented on microcomputers.

Most organizations who already use computers have a large backlog of applications waiting to be implemented. Most of the application backlog is caused by a shortage of the people needed to implement the applications. On the one hand, there is the increasing computer literacy of users, who can reduce the application backlog by implementing applications. On the other hand, increasing computer literacy creates demand for applications which adds to the application backlog. It is not clear that the use of microcomputers and the influx of new users will help an organization reduce its application backlog in the long run.

Nevertheless, it is clear that most organizations find it necessary to provide increasing support for the growing number of users. The nature of the support and the organization

of user support is discussed more fully in a separate chapter.

A microcomputer can be used almost anywhere. In particular, microcomputer users need not be in their offices to use a system, but can be at home. Many organizations keep a supply of portable microcomputer systems which a user can take home. The practice of computer users working at home began with the interactive use of mainframes. Accessing a mainframe from a user's home requires a terminal, a modem, and a telephone line. A microcomputer can be used in a user's home on a standalone basis. Although a communications link may be desirable for microcomputer users at home, it is not necessary. Work produced at home on the microcomputer can be hand-carried to the office. While microcomputer technology permits a user to work at home, there are many factors, such as, the nature of the application, the attitude of the user, and organizational rules which must be considered before this practice is adopted.

The use of an organization's microcomputer systems for purposes other than work authorized by the organization is a user issue regardless of where the user is located. With mainframes, accounting logs and audit trails can be used to determine who is using a system and for what purpose. With microcomputers, applications may be carried to the systems and removed with little capability of detecting how the system was used. It is not uncommon for many microcomputer systems to be idle during regular business hours and thus, be available for private or recreational uses. An organization can often deal with this problem in the same manner that it protects its other office equipment, such as, typewriters and copiers, from private use.

Providing users with microcomputer systems usually means much more than simply providing hardware and software. To successfully introduce microcomputers into a workplace, planning must include the physical design of the work area. Adequate space, light, ventilation, heating and air conditioning must be supplied. Several microcomputers in a room can impact the ventilation, air conditioning, and noise level of the room. Electrical outlets and/or electrical capacity may need to be increased. Furniture should provide enough workspace for both the microcomputer and the user. Additional space is needed for the storage of supplies, such as, diskettes, printer paper, and ribbons. If microcomputers are to communicate, the installation of network cables and/or telephone lines may be required.

3.1 Basic User Skills

A microcomputer user needs a more thorough understanding of the system than the typical mainframe user. Beyond knowing how to submit batch jobs to an operator or how to turn a terminal on and off, the mainframe user usually needs to know little else concerning the care and operation of the system. Services, such as, file backups, booting system software, installing software packages, and connecting peripherals, are provided by the operations staff of the computer center. In many cases, the microcomputer user performs these functions. Among the things that all microcomputer users need to know are:

- System startup and shutdown

Unlike mainframes, most microcomputers are not left on all the time. The user must know how to start the system and how to shut it down. This may include following an ordered sequence of steps to: apply or remove power to the main chassis and peripherals, insert or remove storage media, and/or enter commands to start or stop the software system. While many microcomputers can be started or stopped by toggling a power switch like a terminal, many cannot.

- Media handling and storage

Microcomputer users must know how to grasp storage media, insert and remove storage media from a peripheral, and how to store the media so as not to damage the information contained on the media.

- Care of microcomputer hardware

Microcomputer users must understand how to take proper care of the system hardware. This includes such things as maintaining adequate open space around cooling fans to prevent overheating, insuring that persons or objects do not get caught in the cabling, preventing hard disks from being jarred, and protecting the phosphorus of displays from burn-in by either dimming or turning off the display when not in use.

Some users may also need to know such things as:

- System and information security procedures

When many users access a single microcomputer which has few integrity protection mechanisms, such as file protection, it is necessary for the users to understand the procedures to be followed in order not to destroy the data and programs of other users, or compromise data confidentiality. When a user is finished using a system, he should know how to leave the hardware and software configured so that the next user is confronted by a known configuration. A user should also know how to archive data and programs.

- Installation and maintenance procedures

Many microcomputer users may perform hardware and/or software installation and maintenance. When installing or updating software packages, users should know how to apply proper backup procedures in the event of catastrophic failure during the software installation or update. Software maintenance also includes configuring software according to the hardware configuration and maintaining adequate free space on mass storage in order for some software packages to function. Installing new hardware components or modifying the hardware configuration is a common practice among microcomputer users. Such users should know the basic procedures which apply to all hardware modifications, such as, removing power when inserting

or removing boards or chips, and orienting the boards, chips, or cables correctly when they are inserted into their receptacles.

3.2 Classification of Users

Users can be grouped into three broad categories.

- ADP professionals

ADP professionals are those users whose major job function is to implement systems or applications on computer systems. They may or may not have formal education in information systems, computer science, or computer engineering.

- End users who program

This category consists of experienced and sophisticated end users. Their major job function and formal education is in an application area, such as finance, accounting, or a physical science. They may have some formal training in computer technology. Although not necessarily their major job function, these end users implement applications software in the area of their expertise.

- End users who operate

This category of user is made up of end users who have less experience in the use of computers. The major job function of end users who operate is in an applications area. These users do not implement applications on microcomputers; but rather, uses the computer implementations of others in the performance of their job.

Because of the varying needs of the different types of users, an organization should try to tailor the microcomputer systems to the specific requirements of a user. Menu driven systems, which often prevent the user from accessing the more general capabilities of a system, are typically the choice for end users who operate. On the other hand, menu driven systems which limit access usually cannot meet the needs of a more experienced user. The practice of customizing the microcomputer system to a user usually becomes an ongoing activity since it often happens that a user moves from one category of user to another.

3.3 Application Development

The concept of *application development* is taking on new meaning with the availability of both microcomputers and powerful software packages. Applications are no longer developed solely by ADP professionals using algorithmic language based development techniques. The creation and validation of a financial model using a spreadsheet has all of the elements of traditional application development.

The all-inclusive term *software package* refers to both turnkey packages (i.e., packages which users simply operate) and software packages, such as spreadsheets and database management systems, which are tools to support high productivity application development. This section addresses the broader concept of application development by both ADP professionals and end users, and their use of software packages to support application development.

Because of the high cost of application development, it is always better to minimize application development activities. Assuming the requirements of an application are met, it is preferable to use a turnkey package in an application rather than develop anew. Should some application development be necessary, it is preferable to use high productivity application development tools rather than algorithmic languages. Because of the large market for software packages created by the popularity of microcomputers, the number and variety of software packages is greater than ever before. Consequently, a large number of applications may be implemented on microcomputers with little or no application development.

However, the use of microcomputers can increase the total amount of application development activity within an organization. Moreover, the manner in which applications are developed can be significantly different from the manner in which applications are developed in a mainframe environment. There are several factors which can cause this phenomenon.

- Increased capacity of computing resources

Microcomputers are a low cost means of increasing the overall capacity of the computing resources in an organization. In a mainframe environment, computing capacity is very often strained by the needs of the production workload with very little left over for application development. On the other hand, a microcomputer can have more idle CPU capacity than used CPU capacity. The computing capacity for application development using sophisticated application development techniques can be made available with microcomputers.

- Increased capabilities of application development tools

Because of the increase in the overall computing capacity of computing resources afforded by microcomputers, the capabilities of the available application development tools has increased. Advanced application development tools such as syntax directed editors, interactive debuggers with graphics displays of the line-by-line and procedure call activity of a running program, multi-window interactive development environments, and fourth generation languages are becoming commonplace. These application development tools facilitate the development of applications in a shorter period of time. The resultant applications are more complex, of higher quality, and more reliable.

- Increased sophistication of end users

The easy access to the increased capacity provided by microcomputers, along with the enthusiasm of end users for microcomputers, can cause naive users to become sophisticated users in a brief period of time. End users may begin to create and implement their own applications. The growth in end user sophistication is an ongoing process.

3.3.1 Changing Nature of Development Activity

The factors mentioned above can increase the application development activity in an organization. Application development is no longer concentrated within traditional application development groups. All aspects of application development and maintenance, such as, the managers, the developers, and the computing resources used, tend to become distributed administratively and physically throughout an organization. This distribution of application development activities happens not only with the aggregate of all application development activities in an organization, but can also happen with an individual application development project.

Application development may be distributed across computer systems. In the traditional software development environment, several programmers coded and debugged new applications on a mainframe. The microcomputer permits another approach to application development. By using standard languages, portable programs can be developed on microcomputers. Each programmer produces his portion of the project on a microcomputer with the final integration and testing of the application on the mainframe. Some mainframe applications may be small enough to be developed and tested entirely on a microcomputer.

While some applications run exclusively on a mainframe, most applications run partly on the mainframe and partly on the microcomputer. Consequently, a significant aspect of most applications is the implementation of micro-mainframe communications tailored to the needs of the application.

In addition to the distribution of computing resources used for application development, the responsibilities for the implementation of the various phases of the application life cycle is often distributed among several groups in an organization. The central application development group continues to be the focus of most development activities. However, many user departments are forming development groups made up of both professional programmers and user programmers. These user department groups often participate in the development of large projects.

For example, requirements analysis may be done by the user department who will use the application. Design, coding, and testing for those portions of the application to run on the mainframe may be done by an applications development group. At the same time, the design, coding, and testing of those portions to run on microcomputers may be done by the user department. Maintenance may be done in the computer center.

In the example, both the managers and the implementors of the project were distributed

among several groups. It is very often the case that the programming languages and tools used in the development of an application differ among the groups involved in the development. For example, the application development group may use high level algorithmic languages such as FORTRAN and COBOL to implement their parts of the application on the mainframe. On the other hand, the users may use fourth generation languages to implement their parts on the microcomputers. Users who program tend to use such high productivity tools as fourth generation languages, program generators, and database query languages. With an increasing use of microcomputers, there is usually an increasing demand on the part of users for such high productivity application development tools.

Because of the more distributed nature of application development activities, there is a greater need for communication, coordination, and cooperation between the various groups and individuals doing development. There is a greater need on the part of management to be aware of this distribution of development activities and responsibilities. The central application development group is no longer the sole source for all development resources.

3.3.2 Potential Problems

The increase in application development activity especially on the part of end users and the changing nature of application development can cause several problems.

- Lack of standardization of high productivity tools

In the traditional application development environment, it is good practice to evaluate the transportability requirements of an application during the application's requirements specification. Standard algorithmic languages are often used to meet the requirement that an application be transported between mainframes of different producers. The technology of high productivity tools has yet to mature to the point where a significant level of standardization can be achieved. Consequently, it may be very difficult to transport those applications implemented using high productivity techniques between computer systems.

- High productivity techniques require more computer resources

As the users' demand for high productivity applications development tools increases, the need for additional computer capacity required by these tools increases. High productivity tools produce heavy demands on CPU and disk resources. Moreover, many tools require high resolution graphics displays, both black-and-white and color. Such graphics displays can also drain communications capacity.

- Distribution and maintenance of end user software

End users often produce software solely to enhance their own productivity and are not responsible for either the distribution or maintenance of the software. These end user applications are often useful to many groups in an organization. Such useful software should be documented, maintained, and included in a software inventory for distribution.

Despite the changing nature of application development, the changing roles of the users who develop the applications, and the changing technology on which and with which the applications are built, the basic nature of the application development life cycle and the principles of information management seem to remain the same. It is therefore necessary for an organization to apply these principles to the resources at their disposal.

Chapter 4

Management/Support Groups

Throughout the discussions of the issues related to the impact of microcomputers on organizations, there are the common themes of *more* and *different*. As microcomputers become a significant part of the information resources, there is more information, a larger user community, and more technology to be managed and supported. The organization that has experience with computer-based information systems should discover that the information kept on microcomputers, the microcomputer users, and microcomputer technology have characteristics different from the characteristics of the information, users, and technology associated with mainframes or minicomputers.

4.1 Organizational Structure

An organization may respond to this situation by modifying its management services and support structures. There are two basic ways of accomplishing this; modify existing structures or create new ones. Traditional mainframe management policy and support structures can be described as consisting of four functional groups:

- The Information Resource Management Group

This group is usually located at the highest level of the organization's management and is responsible for the overall coordination of information resources throughout the organization.

- The Computer Center

The Computer Center(s) may be located anywhere within the hierarchy of an organization and is responsible for the operation of large computer systems. It is usually made up of several subgroups, such as, computer operation, systems programming, and user services.

- The Application Development Group

These groups may also be located anywhere within the hierarchy of an organization and are responsible for developing and maintaining the applications specific to an organization.

- The Information Center

This group is typically located at a high level of management and is responsible for providing services directly to end users. While some of the services may be similar to those provided by the user services group, the services of the Information Center are greatly expanded and may be tailored to end users' application areas.

The advantage of integrating microcomputer management/support services into existing structures is that there is usually much ADP experience and much knowledge of the ADP problems of the organization concentrated within existing structures. This experience is a valuable resource when microcomputers are brought into an organization.

However, many existing support/policy structures are already overwhelmed with responsibility and may not be either able or inclined to undertake the effort required to apply microcomputer technology. This may be particularly true for the Computer Center and Application Development Groups since they are usually responsible for specific hardware and software systems. On the other hand, the Information Resource Management Group and the Information Center may deal with an organization's information and applications on a more conceptual level, and may be better able to provide the additional management/support services for microcomputer systems and their users.

For many organizations, the creation of new management/support groups happened virtually spontaneously. Because of the low cost of microcomputer systems, departments and operational units within an organization were able to use microcomputers without the approval or notice of upper management. As the number of systems increased, intra-departmental and inter-departmental user groups were formed. When these microcomputer activities became known to upper management, not only were the systems in place, but also the nucleus of new management/support groups were in operation. For example, the creation of local support personnel or *user coordinators* evolved from the pool of users who gained microcomputer expertise. These individuals provide support to their organizations and act as liaisons to other support groups.

Additional management/support services are required if an organization is to benefit from the use of microcomputer technology. How these services are fit into the structure of an organization seems less important than inclusion of provisions for additional management/support services in the overall plan for integrating microcomputers into the information resources of an organization.

4.2 Management/Support Services

There are many management/support services which can be provided. Most organiza-

tions are already providing such services in some form. The management/support services listed are grouped into three general classes: those services which promote information management, those services which promote the users' efficient use of information technology, and those services which promote the effective management of the technology.

4.2.1 For the Information

These management/support services focus on the information, i.e., the data and procedures, which an organization uses to conduct its business.

- Naming and organization conventions

For most organizations, it is necessary to develop and maintain information naming and organization conventions. Such conventions help minimize data redundancy. Conventions are necessary for the viability of most other information management/support services.

- Library services

With the use of microcomputers comes a large increase in the production of data and software by end users. A *library* of existing data and procedures helps to prevent the duplication of efforts, i.e., the regeneration of existing data or the redevelopment of existing programs.

- Security

One of the most important management/support services is the development and maintenance of practices which insure the confidentiality of information where required and minimizes the loss of information from deliberate and accidental causes. An important aspect of assuring integrity is to insure that information, which becomes distributed throughout an organization, is both consistent and accurate.

- Collection and retention

One of the problems which can result from the widespread use of microcomputers is a large increase in the volume of information. Good information management requires that there should be a reason for the collection of new information. In addition, procedures may be needed to identify information lifetimes and insure that information which has exceeded its lifetime is not retained.

- Critical data custodianship

An organization may find it necessary to centralize the custodianship of data which the organization considers critical to its functioning. In particular, the input and modification of critical data may need to be entrusted to individual groups. Particular segments of this information can be made accessible, with restrictions (e.g., read-only), for other groups in the organization.

4.2.2 For the Users

Management/support services which focus on users include the following:

- Education

Perhaps the most important service to the user is training. This may consist of organized classes and/or on-the-job training. Many organizations set up a microcomputer demonstration facility in which individuals can come for a hands-on introduction to microcomputer technology.

- System selection

This service helps insure that the end user chooses the system which will meet his needs. This process includes help in defining requirements, selecting the applications software, and selecting and configuring the hardware. The user can be made aware of the current marketplace situation, and of standards beyond those adopted in-house which may affect his application.

- Application development

Application development services can range from informal consultation to the traditional application development activity, i.e., a complete implementation of a user's application. With microcomputers, application development includes such things as custom ROMs, intelligent interfaces, and procedures written in the specialized languages associated with application packages.

- User Group support

Microcomputer users are often enthusiastic about their systems. In most cases, user groups are a means whereby microcomputer users may provide many support services to each other in a friendly atmosphere. By permitting and supporting microcomputer user groups, an organization may reduce the cost of providing some direct support services since the user group provides them.

- *Hotline* assistance

One of the most valuable services for a user is to be able to have immediate access to a knowledgeable person when a problem arises. Such immediate access can be provided by a telephone hotline. A user who has quick access to someone who can help is less likely to damage the microcomputer system and/or the information contained on the system.

4.2.3 For the Technology

Services which help manage and support the microcomputer system components include the following:

- In-house standards development

The development of in-house standards is an important aspect of the management of microcomputers. In order to provide this service it is necessary to be aware of both the application requirements of an organization and the defacto standards of the marketplace.

- Product evaluation

Exhaustive product evaluation can be an important support service. A determination can be made of the effectiveness of a microcomputer system hardware and/or software component across a wide range of applications. Future directions in the microcomputer marketplace and technology can be monitored.

- Installation and maintenance

Support groups may perform installation and maintenance of systems, or monitor the performance of these services by contractors and computer stores.

- Acquisition

Discounts can be obtained on microcomputer system components purchased in volume. A storeroom of microcomputer components can be maintained.

4.3 Acquisition

The amount of money spent on microcomputer systems continues to increase. To maximize the benefits and minimize the cost of acquiring these systems, it becomes necessary to have an acquisition plan in place. The implementation of such a plan would enable an organization to:

- take advantage of the economies of quantity purchasing
- plan and develop appropriate support structures
- insure compatibility with existing systems and applications
- maintain consistency with current policies and strategic goals

There is no single, best way to acquire a microcomputer system. An organization's needs and style of management are key factors in the determination of an optimum acquisition strategy. Each organization should examine the role and responsibilities of the end user, functional manager, systems staff, and organization's information resource management group with respect to the acquisition policy development and process.

4.3.1 Procurement Roles and Responsibilities

Traditionally, the acquisition of a computer system is performed by a central computer systems staff. Due to the low cost of single microcomputer systems and their widespread use, this approach to acquisition is no longer the only choice. End user computing has made it feasible and often desirable for the end user to define his requirements and actively participate in the procurement activity. The roles and responsibilities within an organization can be assigned to either a central group or distributed throughout the organization.

For example, using technical assessments provided by the systems support staff, the end user identifies the microcomputer system to be acquired and prepares a justification. The functional manager reviews the request with respect to current budget and programmatic activities. Higher level management coordinates and consolidates all microcomputer requests and ensures consistency with organizational policies. Finally, the procuring activity arranges volume discounts wherever possible and negotiates the purchase.

Organizations should be careful to assure that assigned responsibilities are clearly designated and adequately address government or organizational acquisition policies, budget and programmatic priorities, compatibility with existing systems, microcomputer technical aspects, and the user application/problem.

4.3.2 Justification

A request for a microcomputer system or product may be accompanied by a justification statement. The amount of documentation required for the justification can vary. Often the criteria for determining this level of justification is based on system type, cost, or application. System type refers to the specification of a particular model or version of hardware and/or software. A minimum justification could be required for any product chosen from a pre-established *standard* set of microcomputer products, whereas detailed justifications and waivers could be required for any request not compliant with the *standards*. System cost refers to the purchase price of the microcomputer system or products. The level of justification usually depends on the cost amount of the system; the greater the cost, the more detail the justification. System application is the way in which the microcomputer system will be used. If a microcomputer will be used as a general productivity tool, only a brief justification statement may be needed. Microcomputers that are to be an integrated part of a larger system would require an in-depth justification describing the relationship and impact of the microcomputer with the larger system. (Table 1 outlines these criteria and levels).

Justification procedures can be prescribed in the acquisition policy and can include not only the amount of documentation required, but the type of documentation. Justification statements may:

- clearly specify the proposed microcomputer product, indicating how it will be used, the benefits provided by its use, and the features required to satisfy application requirements (e.g., specific technical capabilities, minimum configurations, or compatibility with existing products)
- provide evidence of the proposed product's technical feasibility, soundness, and timeliness of implementation
- identify and explain why alternative products are not appropriate
- describe any planned telecommunication interfaces and/or integration with other systems. Indicate required compatibilities, special needs, and expected impact to the other systems
- describe possibilities for future expansion or upgrade capability with respect to prospective activities and/or the rapidly changing microcomputer technology
- state costs and where applicable, include life cycle costs such as development, installation, training, and maintenance. If possible include comparative costs of alternative products and/or producers.

	Minimum Justification	Detailed Justification
System Type	if in-house "standard"	if not in-house "standard"
System Cost	if below \$ threshold	if above \$ threshold
System Application	if general productivity tool	if integrated into larger system

SUMMARY OF JUSTIFICATION LEVELS

Table 1

Chapter 5

Technology Issues

5.1 In-house Standards

As part of the planning process, an organization should consider carefully the adoption of in-house standards for microcomputers. Recall the comparisons of the management structure for mainframes as opposed to microcomputers. Similar comparisons apply to in-house standards.

Just as management style is dictated by an organization's use of a mainframe, many in-house standards are also determined by the use of a mainframe. A particular large mainframe may dictate the nature of communications, the operating system, the terminals, the programming languages, the application programs, etc. that all will use. In some cases, these standards were never planned.

In the case of microcomputers, in-house standards can be chosen based on the needs of the organization and consistent with widely accepted standards. On the other hand, an organization may choose to have no in-house standards.

The method of choosing standards is similar to choosing a single computer system. With a single system, the process consists of determining the application requirements, and then selecting the software and hardware which can meet those requirements. When choosing in-house standards, the organization must first determine its requirements, and then choose a set of standards which can fully satisfy those requirements. Since it is usually impossible to satisfy all requirements with one set of standards, it is not unusual for an organization to have several systems which do not conform to all of the standards.

An important consideration in choosing in-house standards is their conformance to standards established by accepted standards making groups, such as, ANSI, IEEE, and ISO. In the Federal Government, FIPS standards and guidelines have been issued for ADP equipment including microcomputers. Whenever possible, these standards should be used as in-house standards. However, because microcomputer technology has only recently emerged and is continuing to change rapidly, there are many aspects of microcomputer technology which are not addressed in formal standards.

In the absence of established national standards, an organization should give serious

consideration to choosing in-house standards which conform to defacto standards (i.e., standards determined by their widespread support by many users and producers). However, it should be realized that defacto standards are determined in the marketplace. They can be less precisely specified and more short-lived than national standards developed by a well established process of insuring consensus on a well defined specification among many users and producers.

The in-house standards chosen should be specified precisely enough so that the requirement that is to be met by the standard will be realized. For example, if an operating system is chosen as a standard in order to facilitate the development of communications software to link all of the systems together, then it may be necessary to specify the version of the operating system as part of the standard in order to realize the requirement of compatible communications software.

The set of standards which can be adopted by an organization can take many forms. For example, an organization may choose to adopt only a set of communications standards. Their requirements are such that it does not matter what microcomputer system is chosen for an application as long as it is able to communicate with the other systems. On the other hand, an organization's requirement may only be met by completely specifying applications software, operating system, and hardware. In-house standards will only be successful if consistent with the needs of the organization.

Not only can an organization determine how extensive their standards for microcomputers should be, but it may also choose to have no in-house standards at all. An organization may decide that it needs to gain more experience with microcomputers before it is able to determine its requirements and in-house standards.

The hasty adoption of standards before experience is gained and proper planning is performed may frustrate the learning process and eliminate many potential applications for microcomputers. For example, a specific single-user operating system is adopted as the standard operating system for all microcomputer systems. A group in the organization has a requirement for electronic mail between the individuals located in several adjacent offices. No microcomputer system using the single-user operating system is able to meet this requirement. Thus the electronic mail application is deemed inappropriate for microcomputers. However, there are several microcomputer systems available which can meet this requirement if running a multi-user system. Thus, an opportunity for an effective use of a microcomputer has been missed.

The situation in the example might have occurred even after reasonable planning activity had taken place. The selection of a single-user operating system as a standard for all microcomputer systems would have covered most applications suitable for microcomputers a year ago. However, as a result of the ever decreasing cost of microcomputer hardware, multi-user systems are becoming more widely available and the number of applications suitable for multi-user microcomputers is increasing.

Because the microcomputer marketplace changes so rapidly, the planning and standards making process must be ongoing. This is in sharp contrast to the planning activities of some organizations with respect to mainframes. During a mainframe acquisition phase,

the planning activity is intense, but once the system is in place, the planning activity may cease as a result of the realization that not much will change during the several year life-cycle of the mainframe. The cessation of planning and standards making activity for any information resource is undesirable. When the information resources are microcomputers, the absence of ongoing planning can have serious consequences.

Our experience has been that microcomputer support and standards making responsibility has been distributed throughout the organization. For example, the mainframe support group, located at the topmost level of the organization, may determine a communications standard to allow access to the mainframe. Several microcomputer support groups, each located at a level in the organization responsible for a specific mission, may determine microcomputer standards appropriate for their departments. It can easily happen that a microcomputer support group might set a different communications standard for communicating between its department's systems, while also supporting the communications standard to the mainframe. A department may have no need to communicate with other projects in the organization except through the mainframe.

5.1.1 Advantages of In-house Standards

The advantages which can be realized from in-house standards can be grouped into two broad categories, namely, central support and compatibility. In-house standards make it possible for a group, or several groups, which may be at any level in an organization, to provide services to end users. In-house standards also make it possible for microcomputer users to share components, programs, and data.

Central Support

There are many services which a microcomputer support group can provide. In-house standards can be chosen in such a manner as to minimize the cost of supporting the microcomputer hardware/software systems. In general, the fewer system components, the less costly the support. On the other hand, the fewer the system components, the narrower the range of applications which can be implemented. A discussion of the kinds of support services which can be provided is included in Chapter 4.

Compatibility

Even if central support is not provided at any level in the organization, in-house standards can achieve any desired level of compatibility between microcomputer systems. Among the levels of compatibility are:

- **Media compatibility**

Floppy diskettes, hard disk packs, tapes, and tape cartridges are compatible in that they can be physically exchanged between systems. In addition to having the same physical dimensions, media compatibility typically implies the same information

format at the lowest level. For example, two floppy diskettes may have the same physical dimensions, but may have a different number of cylinders and/or sectors per cylinder. Media compatibility usually does not imply that the structure of the data files on the media are the same.

- Communications compatibility

Compatibility in communications implies that the systems will be able to transfer data by means of a communications link such as telephone network or local area network. Just as with media compatibility, this level of compatibility may only refer to the reliable movement of bytes. However, communications compatibility may also imply that information will be structured in a manner suitable for the receiving application or operating system software.

- Compatibility of hardware components

This level of compatibility makes system maintenance easier by permitting the interchangeability of hardware components. With microcomputers, there may be neither maintenance contracts nor maintenance personnel. Some systems are designed to permit the end user to perform hardware diagnosis and replacement of defective components.

- File structure compatibility

This refers to the ability to exchange a data file, i.e. data structured in a specific manner, between microcomputer systems. This level of compatibility normally requires that two systems have the same operating system software or have utility programs which will translate one file structure to another.

- Application package compatibility

This compatibility level permits data to be exchanged between applications packages. For example, file structure compatibility may guarantee that a text file can be moved between two systems, but the text may be in the wrong form when a different word processor is invoked. Many applications packages can produce standard formats for exchanging data between itself and other applications packages.

- System compatibility

Because microcomputers have relatively simple system hardware and software architectures compared to mainframes, it is easy for one producer to produce a *clone* of another producer's system. If X is a microcomputer system which is selling well, then it is common to find microcomputer systems in the marketplace which are *X-compatible* or *X-equivalent*. The system compatibility level means that one hardware system is identical to another even though the two systems are from different producers. Diskettes containing operating systems software and/or applications packages may be exchanged between compatible systems and the software runs properly. Even

hardware boards may be exchanged between compatible systems. Although system compatibility is theoretically possible, it is most often the case that an *X-compatible* system is different in some way from X.

When setting an in-house standard to achieve compatibility, first determine the level of compatibility to be achieved by the standard. Then specify the standard precisely enough that the required compatibility is realized. For example, standardizing on 5 1/4 inch floppy diskettes permits compatibility at the media level. However, it may be necessary to specify 5 1/4 inch soft-sectored floppy diskettes since, although the diskette may be inserted into the drive, the extra holes in a hard-sectored diskette may prevent the drive from being able to access the media.

One approach to setting an in-house standard for the system level might be to specify that a microcomputer system be compatible to a system which is a standard in the marketplace. Since the system compatibility level implies many other levels of compatibility, the specification of the standard is simplified. However, the validation of compatibility at the system level is complicated because true system compatibility is rare. When validating at the system level, it is useful to assemble a collection of diagnostics, operating systems software, applications packages, and hardware components to test the degree of compatibility. Such hardware and software components may include components developed in-house.

Compatibility allows the easy interchange of programs, data, and components. In addition, with or without a support group, the level of expertise in the user community will be enhanced if all users are working with the same equipment. Questions and problems can be resolved by asking a neighbor. New users will become more proficient more rapidly in such an environment.

Moreover, end users may perform some amount of hardware maintenance, and learn to *program* in the command languages of the applications packages. Programs written in these languages can be implemented within and distributed throughout the user community.

5.1.2 Disadvantages of In-house Standards

There are several disadvantages to in-house standards for microcomputers:

Rapid Pace of Microcomputer Technology

Today's microcomputers may be well on the way to obsolescence in two years. This means that the organizational mechanisms for microcomputer planning, support, and standards must be flexible. In-house standards can frustrate the ability of an organization to respond to a changing marketplace. Since in-house standards will normally be closely related to the defacto standards of a changing marketplace, the organization will have to overcome the inertia of supporting a standard which is no longer relevant, and be able to devise means for a transition to the new standards. The penalty for failing to make this transition will be an inventory of obsolete equipment which is incompatible with equipment dominant in the marketplace.

Inability to Meet All Applications Requirements

A very common occurrence is for an organization to set standards and discover an application requirement which cannot be met by a system which meets the standard. For example, a particular word processing package might be chosen as a standard. It is then discovered that the legal department is unable to use the standard word processing package because it cannot paginate for legal size paper. Another word processing package is available which will meet the requirement but is much more expensive, and would be costly to standardize organization-wide.

Inability to Meet New Application Requirements

This is intimately related to the rapid pace of microcomputer technology. As the technology becomes cheaper and innovations are made new application requirements begin to appear. The systems which meet the in-house standards can become increasingly unable to meet the new requirements. Parallel with changing requirements, the dominant systems in the marketplace become those systems which can meet the new requirements. Consequently, the standards of the marketplace can move away from an organization's in-house standards. The problems of changing technology, changing marketplace, and changing application requirements are discussed more fully in another chapter.

Inhibition of Innovation

This is an unfortunate side-effect of all standards, including in-house standards. The existence of a standard may inhibit the exploration of new approaches because a standard may be interpreted by end users and support groups as the *correct and best* way to do things. Moreover, innovative individuals may not be able to pursue an idea because of the inherent inertia of a standard. In addition to meeting a requirement in terms of central support or compatibility, a standard should probably not be adopted until it can be justified as a correct and good solution. Adopting standards without sound technical justification may lead to inefficient solutions and missed opportunities for better solutions.

5.2 Managing Technological Change

One of the most difficult problems in managing microcomputers is the rapid pace of the technology. Whereas mainframe or minicomputer producers typically halve the price/performance ratio of their systems every four years, microcomputer producers halve the price/performance ratio of their systems every two years. All indications are that this pace in microcomputer technology will continue at least until the end of the century.

One of the effects of this rate of change of the technology is the creation of demand for more capability in microcomputer systems. The net result of this creation of demand is a rapidly changing perception of what is required in a microcomputer system. Thus, to

speak of the rapid pace of the technology is to speak of rapidly changing microcomputer system application requirements.

One good example of this phenomenon involves the spreadsheet processor. When the dominant microcomputer technology changed from systems which had a maximum memory capacity of 64K bytes to systems which had memory capacities of several times that, the capacity of the spreadsheets increased accordingly. The newer technology was quickly embraced and larger memory sizes for spreadsheets quickly became a *requirement*. To say, "as long as the system meets the needs, why should it be replaced?" is simply delaying the inevitable. When newer systems come into widespread use, the *requirement* for their capabilities will become very real. Before there were spreadsheet processors, no one ever had a requirement for one. More pointedly, before there were microcomputers no one had a requirement for one. Throughout the thirty year history of computing, demand has always exceeded capacity, and where any excess capacity has appeared, it has been quickly utilized.

In some cases, it is possible to anticipate the nature of new demands that will be placed on microcomputer systems. As microcomputers became widely used, it was clear that there was a need for methods of transferring data between the microcomputer software packages of different producers. It was also clear that there was a need for methods of transferring data between microcomputer software packages and mainframe software packages. Well within the existing technology, the implementation of these capabilities, in the form of integrated packages on the microcomputer and the integration of software packages on the microcomputer with software packages on the mainframe through data communications, came about as a result of demand from the user community.

On the other hand, innovations on the part of those bringing microcomputer products to the marketplace create a demand for new capabilities which were unanticipated. As mentioned above, the spreadsheet processor has become the classic example of an unanticipated technology, which became a requirement in any microcomputer system used in an administrative/management application. A more recent example of unanticipated technology is the multi-window integrated environment, which permit users to design their displays according to the needs of their current interactive activity.

In a microcomputer environment, dependence on a single producer for hardware and/or software usually does not allow an organization to gain the maximum benefits from the technology. The marketplace for both microcomputer hardware and microcomputer software is fragmented among many producers, both large and small. In addition, the dominant producers change over time.

When a large corporation enters the marketplace and achieves a certain level of prominence, it is tempting to accept this prominence as permanent. However, a permanent prominence in the marketplace has not been part of the history of the microcomputer marketplace. Instead, innovative, small companies become prominent, even dominant, and large corporations, experienced in the technology, continue to enter the marketplace with potentially innovative products.

5.2.1 Phasing in Systems Over Time

The methods of acquiring mainframes may not apply to acquiring microcomputers. Acquiring a mainframe involves a large economic commitment made at one time. Microcomputers can be added to the organization in an incremental manner. To acquire large numbers of the same microcomputer systems at one time increases the risk that the total investment will not be able to meet new requirements. This approach has the advantage of allowing an organization, which is unfamiliar with the use of microcomputers, to get a better feel for how the technology fits their applications. However, there is the disadvantage that many in the organization will not have their needs met until the *phasing in* procedure reaches their application.

5.2.2 Acquiring *Leading Edge* Technology

Whenever new microcomputer systems are acquired, it is advantageous to obtain systems which are representative of the *leading edge* of technology, rather than the *trailing edge*. Since microcomputer systems have approximately a two year life-cycle as the *current* technology, it maximizes investment by acquiring systems toward the beginning of their two year life-cycle. This is not to say that an organization should acquire experimental systems for operational use. The concept is twofold. Insuring that the systems acquired have demonstrated, yet innovative effectiveness for the applications in which the systems will be used, and insuring that the systems acquired are not made obsolete in six months by the arrival of new products.

One of the difficulties of understanding the microcomputer marketplace is determining when a product actually exists. Because the market is so highly competitive among many producers and because the producers strive so hard to establish and maintain market share, product announcements can be made many months before shipping and products can be absent from store shelves several months past announced shipping dates. Producers may also distribute alpha and beta test versions of products to almost anyone. A definition of product *existence* consistent across producers, such as, its in-stock availability from a local computer store, should be used to determine what constitutes current technology.

The technique of acquiring on the leading edge fits well with the technique of phasing in microcomputers over time. The use of both techniques insures that an organization will have experience with both the systems reaching the end of their useful life, and the systems just beginning their useful life.

5.2.3 Acquiring Systems from Several Producers

While the technique of acquiring microcomputers on the leading edge of technology can be applied to a single producer, the best application of the technique is to acquire from any of those several producers whose systems make up a significant percentage of the marketplace. It has never been the case that a single producer has a monopoly on the leading edge of the technology.

However, it has been characteristic of the microcomputer marketplace that no single producer is able to meet all of the requirements of a large organization. Thus, there are two advantages to this technique, better coverage of a large organizations' applications, and better use of the technique of acquiring on the leading edge of technology. In addition, by investing in several producers' equipment, an organization minimizes its dependence on a producer who, while being prominent and having innovative, proven products, may disappear from the marketplace as a result of financial failure.

The disadvantage of this technique is that an organization must support more than one system. This impacts all aspects of support, and in particular, may require the development of procedures to permit communication between dissimilar systems. However, in some cases, the incompatibilities between systems from several producers may be small. Incompatibilities between microcomputer systems from different producers are not comparable in scale to incompatibilities between mainframes from different producers. Operating system software, application packages, and even some hardware components are often readily exchanged among microcomputer systems from different producers. In addition, solutions to the problem of multi-producer inter-system communication can often be found commercially and in the public domain.

5.2.4 Combining Approaches

In any large organization, there are groups in which there are ADP professionals and/or end users who are particularly adept in their use of microcomputers. This skill may have come about because these individuals have a special interest in microcomputers, and/or because their applications are particularly suitable for microcomputer systems.

The individuals and applications in such groups can serve as testbeds for the leading edge of microcomputer technology. These groups can have the freedom to acquire and use any hardware or software prominent in the marketplace. As the technology is matured and integrated into existing systems by such groups, it can be brought into more widespread use throughout the organization.

If an organization is sufficiently large, it may have a group whose sole purpose is to research and evaluate the application of microcomputer technology to the problems of the organization. Thus, an organization can maintain a constant influx of the latest technology, incrementally adding to its computing resources, maximizing the benefits from the use of the newer technology, and minimizing the risks of having a large inventory of obsolete equipment.

Chapter 6

Microcomputers and Organizations

Organizations have the opportunity to take advantage of the benefits which can be gained by the use of microcomputer technology. However, the realization of these benefits requires that the organization consider carefully how it will manage the integration of this new technology into the performance of its mission.

Unfortunately, as yet no clear methodology has emerged from the collected experience of those organizations which have undertaken the task. This situation is in contrast with organizations' previous experience with computer systems. Mainframe computer systems are such costly resources that their use must be managed at the topmost level of the organization in a highly structured manner. The cost of a single microcomputer is small enough to be within the purchasing authority of a first level manager. From a management point of view, this implies that, whereas with mainframes, only a centralized management approach is feasible, with microcomputers, any management approach is possible. Not only is any management approach possible, but we have observed that the management of microcomputers in an organization tends to conform to the overall management style of the organization.

Does this imply that, in the management of microcomputers, an organization should simply follow existing overall management approach? There are several reasons why the answer to this question is "probably not."

Most organizations have diverse management styles among departments in the organization. Those microcomputer systems which are only used to support the functioning of an individual department may be better managed in the style appropriate for that department. In addition, most organizations have multiple missions. Some missions may require that microcomputers become part of a larger system so that the microcomputer loses its identity as an individual system. The total cost of all the microcomputers in such a system can exceed that of a mainframe and may be better managed as a single system rather than as a collection of individual microcomputers. On the other hand, some missions may require several diverse microcomputers which do not make up a part of a larger system, but are dedicated to the productivity of separate specialized efforts whose joint output performs the mission. Such systems may be better managed as individual systems.

A microcomputer system consists of many components, e.g., CPU, memory, communications interfaces, operating systems, applications software, etc. Because there are often many different producers for each class of components which make up a complete microcomputer system, it is possible to manage and support the use of microcomputers by focusing on some of the components of a microcomputer rather than treating the microcomputer as a indivisible unit.

Because of the low cost of an individual microcomputer system, the top management of an organization is able to choose how it will manage its use of microcomputers. It is able to choose the style of management, the level at which decisions are made, and to which components those decisions apply. Organizations will make effective use of microcomputer technology only if they understand the implications of the decisions regarding the management of microcomputers.

There are several organizational factors which can significantly affect the use of microcomputers in an organization.

6.1 Nature of Microcomputer Usage

The way in which a microcomputer will be used to support an organizational mission can be broken into two broad categories. First, the microcomputer can provide direct support by being an integrated part of a larger system which performs the mission. A microcomputer used in this manner essentially loses its identity as an individual computer system and is used solely for the direct support of a single mission. Secondly, a microcomputer can be used as indirect support for a single mission or several missions. In this case, the microcomputer can be considered as the general purpose productivity tool of an individual or a group, and has a clear identity as an individual computer system.

Because of the possibly varied requirements of microcomputer systems used in direct support of different missions, and those used as general purpose productivity tools, careful planning is required to insure that all requirements are met.

6.2 Nature of an Organizational Mission

An organization may be responsible for the delivery of several products or services that may vary widely even within a single organization. For example, an insurance company sells insurance and settles claims with clients. This service is high volume, routine and requires a rigid management structure to operate efficiently. However, this insurance company may also have a group that performs statistical studies to update actuarial tables. Such a group most likely would be managed in a less rigid style where responsibilities are more distributed and flexible. The service group would probably use large computer systems including mainframes with large databases. The systems supporting the study group would probably be more general purpose programmable systems which could respond

to the changing needs of the study group. Thus, the nature of an organizational mission can significantly influence how microcomputers are used in support of that mission.

6.3 ADP and End User Experience

In the example of the insurance company, not only is the nature of the mission an important aspect of planning for microcomputers, but also the end user's previous experience with ADP equipment. For example, a microcomputer system to be used by someone with no previous computer experience should be easy to learn. The end users in the group that prepares the actuarial tables may have considerably more ADP experience than the end users in the sales and claims group. Thus, the systems for the latter group may have to be significantly more easy to learn and use than the systems for the former group.

Another important factor to be considered is the quality and depth of the overall ADP experience already within the organization. This pool of ADP experience can come from two sources, the established groups of ADP expertise associated with existing mainframe and/or minicomputer systems, and the unofficial (and perhaps recently discovered) *pockets* of microcomputer expertise which have arisen out of the need for end users to solve their computing problems by using the new technology. Good planning for an organization's use of microcomputers will have input from both sources of expertise. In particular, these groups will have to be brought together in order to achieve successful microcomputer to mainframe communications.

Special attention should be given to identifying and recognizing key individuals within divisions, branches, or other groups within the organization who have special knowledge and interest in the use of microcomputer technology. These local leaders in the uses of this technology can be established as *user coordinators*, providing support within their groups and liaisons to appropriate centralized support and management staff. This local user coordination function can frequently be an added responsibility for someone who has shown interest and initiative to become knowledgeable about microcomputer technology. These local leaders together within the organization may be the nucleus of an organization-wide user group that can foster information sharing and provide technical assistance in microcomputer use.

The key challenge for most organizations will be to recognize and properly assess the new alternatives now possible because of the microcomputer technology. Agency managers at all levels should be made aware of the potential of end user computing so that they will be more comfortable with it. For most organizations the appropriate managerial strategy for end user computing will be a mix between local autonomy and central control. The principal difficulty faced by organizations will be in clearly defining the boundaries between what should be controlled centrally and what should be controlled locally.

Our experience has been that few organizations had planned for integrating microcomputers into the performance of their missions before several microcomputer systems were already in place. These initial systems were usually introduced by innovative individuals who were unable to receive support from existing overworked and understaffed ADP

groups.

6.4 Long Term Impact on the Organization

It should be recognized that this and related office automation technologies are likely to lead to new ways of performing basic functions within organizations. Eventually, major changes to the structure and way of doing business are quite likely through exploiting these new capabilities. The potential for change should be nurtured and supported so long as it is consistent with organizational objectives and information resources management policies and procedures.

Chapter 7

SUMMARY: Developing a Policy

The development of a management policy that encourages the use of microcomputers, coupled with a meaningful education program and controls, can ultimately result in increased productivity and optimization of information processing activities. The policy can be formulated by one group (e.g., information resource management group) or by a steering committee with members from the various departments within the organization. It has been our experience that a steering committee with representatives from all organizational levels including end users can be the most beneficial in the development of a policy. Organizational requirements, information on application requirements, and potential microcomputer usage, including the identification of who needs to have what types of information and resources, can be solicited from these representatives. A policy that is formulated with input from the user community can be accepted and complied with more readily.

7.1 Elements for Consideration

The successful evolution of a management strategy/policy requires that consideration be given to the elements that will constitute that strategy. The outline below is based on the discussions previously presented and constitute elements for consideration prior to the development and implementation of a management policy. The sample outline is not intended to be a comprehensive listing of all possible elements but rather a trigger to stimulate further discussions.

Sample Outline: Elements for Policy Consideration

1. Establish Policy Objectives

- clearly state the goals to be achieved by the policy
- define the role of the microcomputer within the organization's information management structure

- determine the nature and extent of microcomputer usage within the organization
- identify management's motivation for creating a microcomputer policy
- integrate microcomputer policy with the overall organizational policy
- assure consistency with organization missions

2. Establish Level and Means of Policy Implementation

- determine a management style, e.g., strict control vs. permissiveness vs. laissez-faire
- define the degree of control e.g., centralized control or decentralized control
- determine the form the policy will take, e.g., in-house standard, guidance, recommendations, etc.
- identify the resources that will be managed, e.g., information, personnel, telecommunications, application, hardware, or software
- identify the level at which the policy is formulated and the areas to which the policy will be applied, e.g., the information resource management group develops policy on microcomputer acquisition whereas the ADP system staff formulates policy on micro-mainframe connections
- specify a method for keeping the policy dynamic and adjustable to changing technology and user needs

3. Establish Short and Long Range Strategies

- develop a method to enable the adequate planning, coordination, review, and evaluation of proposed and current microcomputer resources
- determine the pace at which microcomputers are introduced and integrated into the organization
- investigate the implications and associated risks of implementing microcomputer systems and identify alternative solutions and contingency plans
- examine the resources (people, hardware, software, communications, and facilities) associated with and required for the use of microcomputer systems
- develop a methodology for acquisition, implementation, and support of microcomputer systems
- develop mechanisms to continuously monitor and evaluate technical trends with respect to the current/planned environment
- provide a coordinated and practical transition strategy to *bridge* from current to future systems/environments, in a non-disruptive way

4. Acquisition

- develop criteria for system (hardware and software) selection
- define the level of approval and justification needed for the procurement of microcomputer systems
- specify the funding conditions and requirements for all procurements
- provide for the coordination and consolidation of microcomputer purchases in order to take advantage of volume purchasing

5. Develop a Clear Definition of Microcomputer Roles and Responsibilities

- examine and determine the skills required to manage and effectively utilize the technology
- examine and realign organizational structures and responsibilities wherever necessary to minimize disruption
- define and assign responsibilities for the planning, selection, acquisition, management, operation, and support of microcomputer systems.
- determine who will be the customer/user of the microcomputer systems
- identify the role and involvement of the end user, the user's management, the systems staff, information resource management group, etc.
- acquire knowledgeable technical personnel to support microcomputer activities

6. Define Adequate Support Structures

- Determine the support activities that will be offered, e.g., system assessments, training, maintenance, and/or assistance and guidance in selection, acquisition, installation, and operation of the microcomputers
- determine the means of providing support, e.g., one centralized group, many local support centers, user groups, producer obtained, etc.
- develop procedures to promote literacy and education of all levels of management so as to encourage knowledge-based decision making
- develop procedures to provide training and assistance to help end users to more productively use microcomputers and to intelligently anticipate and specify their requirements
- explore methods for the dissemination of information, e.g., user groups, newsletters, workshops, conferences, electronic bulletin boards, etc.
- examine potential maintenance techniques and practices
- consider the security implications and risks associated with microcomputer usage

7. Explore Opportunities for Information Sharing

- determine the requirements and consequences of interconnecting microcomputers with other computer systems (mainframes, minicomputers, other microcomputers)
- explore the need and possibilities for sharing and interchanging software programs, files, and data
- investigate the implications associated with the sharing of information, e.g., data naming, organization, collection, and security

7.2 Policy Topics

The decisions derived from the policy elements above can form the basis of the actual microcomputer management policy. An example of the topics that may be contained in such a policy follows. The example is not intended to be an in-depth, comprehensive listing of all possible topics in a management policy; nor should it imply that all topics listed must be included in a management policy. The objective of the example is to present areas that may be contained in a management policy or at least be considered for one.

Sample Outline: Policy Topics

- I. Purpose
- II. Applicability and Scope
- III. Background - General Information
- IV. Objectives
- V. Organizational Issues
 - A. Role of the Microcomputer within the Organization
 - B. Roles and Responsibilities
 - C. Planning and Evaluating Microcomputer Resources
 1. Current
 2. Multi-year Planning
- VI. Technical Issues
 - A. Standards and Recommendations
 1. System Components

2. Software
3. Potential Applications

B. Resource Sharing

1. Communication Requirements and Procedures
 - a. Hardware Configuration
 - b. Software
 - c. Software Compatibility (shared programs, files, data)
2. Information Issues
 - a. Data Sharing and Ownership
 - b. Data Naming and Organization
 - c. Data Integrity

C. Security and Risk Assessment

VII. Acquisition

VIII. Support

- A. Microcomputer Assessment**
- B. Education and Training**
- C. Dissemination of Information**
- D. Equipment Installation and Maintenance**
- E. Software Development or Modification**

Chapter 8

REFERENCES AND RELATED READING

- Attewell, Paul and Rule, James, "Computing and Organizations: What We Know and What We Don't Know", *Communications of the ACM*, Volume 27, Number 12, December 1984.
- Barkley, John, Gilbert, Dennis, and Hankinson, Al, "Selection of Microcomputer Systems", *National Bureau of Standards, Special Publication 500-112*, March 1984.
- Brown, Gary D. and Sefton, Donald H., "The Micro vs. the Applications Logjam", *Datamation*, January 1984.
- Kahn, Beverly K., "Some Realities of Data Administration", *Communications of the ACM*, Volume 26, Number 10, October 1983.
- Damm-Luhr, David L., "Microcomputers in Transportation, Selected Readings Volume 3, Addressing Organizational Issues", U.S. Department of Transportation, September 1984, UMTA-URT-41-84-2.
- "End User's Guide to Buying Small Computers", Office of Information Resources Management, U.S. General Services Administration, August 1984.
- "Final Report on the GSA End User Computer Pilot Project", End User Computer Support Staff (KGS-1), U.S. General Services Administration, September 28, 1983.
- Gilbert, Dennis, Parker, Elizabeth, and Rosenthal, Lynne S., "Microcomputers: A Review of Federal Agency Experience", *National Bureau of Standards, Special Publication 500-102*, June 1983.
- "Managing End User Computing in the Federal Government", Office of Information Resources Management, U.S. General Services Administration, June 1983.

- Mazursky, Alan D., "On Managing Change", *Journal of Information Systems Management*, Winter 1985.
- "Merlin Improvements", Office of Information Resources Management, U.S. General Services Administration, January 1985.
- Meyer, N. Dean, "The Dimensions of a PC Policy", N. Dean Meyer and Associates Inc., 1984.
- "Microcomputer Management Guidelines", Federal Software Testing Center, Office of Software Development and Information Technology, Report OIT/FSTC-83/019, November 1983
- "Personal Computers - Guidelines", Profit Oriented Systems Planning Programs, *POSPP* Serial P-23-3.
- Pyke, Thomas N. Jr., "Information Resource Centers - Organizing to Serve End Users", *Proceedings of COMPCON 83*, Fall.
- Rockart, John, "Chief Executives Define Their Own Data Needs", *Harvard Business Review*, March-April 1979.
- Rockart, John and Flannery, Lauren, "The Management of End User Computing", *Communications of the ACM*, Volume 26, Number 10, October 1983.
- Steinauer, Dennis D., "Security of Personal Computer Systems: A Management Guide", *National Bureau of Standards, Special Publication 500-120*, January 1985.

U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET (See instructions)	1. PUBLICATION OR REPORT NO. NBS/SP-500/125	2. Performing Organ. Report No.	3. Publication Date Sept. 1985
4. TITLE AND SUBTITLE Computer Science and Technology: Issues in the Management of Microcomputer Systems			
5. AUTHOR(S) John Barkley and Lynne S. Rosenthal			
6. PERFORMING ORGANIZATION (If joint or other than NBS, see instructions) NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE GAITHERSBURG, MD 20899		7. Contract/Grant No.	8. Type of Report & Period Covered Final
9. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (Street, City, State, ZIP) Same as item 6			
10. SUPPLEMENTARY NOTES Library of Congress Catalog Card Number: 85-600588 <input type="checkbox"/> Document describes a computer program; 3F-185, FIPS Software Summary, is attached.			
11. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here) This document provides general guidance on the management of microcomputer systems. It addresses the need for establishing a management policy and presents background, issues and alternatives which can help an organization in its management and support of microcomputers.			
12. KEY WORDS (Six to twelve entries; alphabetical order; capitalize only proper names; and separate key words by semicolons) Computers; information management; microcomputers; microcomputer management; microcomputer standards, support structure issues			
13. AVAILABILITY <input checked="" type="checkbox"/> Unlimited <input type="checkbox"/> For Official Distribution. Do Not Release to NTIS <input checked="" type="checkbox"/> Order From Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. <input type="checkbox"/> Order From National Technical Information Service (NTIS), Springfield, VA. 22161		14. NO. OF PRINTED PAGES 54 15. Price	

**ANNOUNCEMENT OF NEW PUBLICATIONS ON
COMPUTER SCIENCE & TECHNOLOGY**

Superintendent of Documents,
Government Printing Office,
Washington, DC 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series. National Bureau of Standards Special Publication 500-

Name _____

Company _____

Address _____

City _____ State _____ Zip Code _____

(Notification key N-503)

NBS *Technical Publications*

Periodical

Journal of Research—The Journal of Research of the National Bureau of Standards reports NBS research and development in those disciplines of the physical and engineering sciences in which the Bureau is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Bureau's technical and scientific programs. Issued six times a year.

Nonperiodicals

Monographs—Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NBS, NBS annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

Applied Mathematics Series—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NBS under the authority of the National Standard Data Act (Public Law 90-396)

NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published quarterly for NBS by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056

Building Science Series—Disseminates technical information developed at the Bureau on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NBS under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NBS administers this program as a supplement to the activities of the private sector standardizing organizations.

Consumer Information Series—Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace

Order the above NBS publications from: Superintendent of Documents, Government Printing Office, Washington, DC 20402.

Order the following NBS publications—FIPS and NBSIR's—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NBS pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 39-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NBS Interagency Reports (NBSIR)—A special series of interim or final reports on work performed by NBS for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service, Springfield, VA 22161, in paper copy or microfiche form.